

Remmers (UK) Limited

West Sussex RH10 9NN

fon +44 (0) 845 373 0103

fax +44 (0) 845 373 0104

Unit B1 The Fleming Centre

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2014 Version number 4 Revision: 09.09.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Multi- Tight 2K, fluidcompount

Article number: 3014

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Thickener pulps

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Remmers Baustofftechnik GmbH

Postfach 1255

D-49624 Löningen / Germany

Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985

Informing department:

Product Safety department: Tel.: Steve Dunn Tel.: +44 (0) 845 373 0103

E-Mail: sales@remmers.co.uk

1.4 Emergency telephone number:

during working hours:

U.K.: Tel.: +44 (0) 845 373 0103

sales@remmers.co.uk

Far East: Tel.: +65(0) 67410277

Head Office Germany: Tel.: +49 (0)5432 83 187

info@remmers.de

after working hours: Tel.: +49 (0)171 21 34 091

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC not applicable Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)

Printing date 09.09.2014 Version number 4 Revision: 09.09.2014

Trade name Multi- Tight 2K, fluidcompount

vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Dangerous components: Void

Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If symptoms occur or in case of doubt, seek medical attention. In case of unconsciousness, do not administer anything orally.

After inhalation Seek medical treatment in case of complaints.

After skin contact If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Do not allow to enter the ground/soil.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaust in workplaces.

Information about protection against explosions and fires: No special requirements.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements.

(Contd. on page 3)

Printing date 09.09.2014 Version number 4 Revision: 09.09.2014

Trade name Multi- Tight 2K, fluidcompount

(Contd. of page 2)

Information on storage in a common storage facility: none Further information about storage conditions: Protect from frost. 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with limit values that have to be monitored at the workplace.

Additional Occupational Exposure Limit Values for possible hazards during processing:

When mixing the material, small amounts of ammonium may be released. Ensure sufficient ven-tilations or mix outdoors!

Additional information: The lists that were valid during compilation were used as a basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Avoid close or long term contact with the skin.

Respiratory equipment: Filter AX/P2

Protection of hands: Protective gloves or protective skin cream.

Material of gloves Nitrile rubber, NBR Penetration time of glove material

Break through time: max. 240 min (DIN EN 374).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

observed.

Eye protection: Safety glasses recommended during refilling.

Body protection: Light weight protective clothing

OFOTION	A BI		
	O. Physical	and chemical	nroportice
	J. FIIVSIUGI		

9.1 Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Liquid			
Colour:	clear			
Odour:	Characteristic			
Odour threshold:	Not determined.			
pH-value at 20 ℃:	7.5			
Change in condition				
Melting point/Melting range:	Not determined			
Boiling point/Boiling range:	> 100 ℃			
	Not determined			
Flash point:	Not applicable			
Inflammability (solid, gaseous)	Not applicable.			
Ignition temperature:	not applicable			
Decomposition temperature:	Not determined.			
Self-inflammability:	Product is not self-igniting.			

(Contd. on page 4)

Printing date 09.09.2014 Version number 4 Revision: 09.09.2014

Trade name Multi- Tight 2K, fluidcompount

	((Contd. of page
Danger of explosion:	Product is not explosive.	
Explosive Limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 ℃:	23 hPa	
Density at 20 ℃	1.05 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Distribution coefficient (n-octanol/	water): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: ammonia

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritating effect. on the eye: No irritating effect.

Sensitisation: No sensitising effect known. **Additional toxicological information:**

The product is not subject to labelling based on the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to directions, the product does not have any harmful effects according to

our experience and the information available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 5)

Printing date 09.09.2014 Version number 4 Revision: 09.09.2014

Trade name Multi- Tight 2K, fluidcompount

(Contd. of page 4)

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, bodies of water or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue

08 01 20 aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information	on
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

ΕN

Printing date 09.09.2014 Version number 4 Revision: 09.09.2014

Trade name Multi- Tight 2K, fluidcompount

(Contd. of page 5)

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Department issuing data specification sheet: Product Safety department / EHS **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- EN